

## FPRN PUBLICATIONS

**Patient Preferences and Knowledge Regarding Hysterectomy: A Study from the Fellows' Pelvic Research Network (FPRN)**<sup>®</sup> Jacobs KM, Hokenstad ED, Park BY, Hamner JJ, Shannon MB, Zigman JS, Pilkinton ML, Mahal AS, Sheyn DD, Elmer-Lyon CG, Korbly NB, Sung VW. Female Pelvic Med Reconstr Surg. 2020 Sep 4. doi: 10.1097/SPV.0000000000000925. Epub ahead of print. PMID: 32898049.##

**Patient Preferences and Knowledge Regarding Hysterectomy: A Study from the Fellows' Pelvic Research Network (FPRN)**- Kristiin M Jacobs, Erik D. Hokenstad, Beau Y. Park, Jennifer J. Hamner, Megan B. Shannon, Jessica S. Zigman, Marjorie L. Pilkinton, Amandeep S. Mahal, David Shern, Caroline G. Elmer-Lyon, Nicole B. Korbly, Vivian W. Sung. Female Pelvic Medicine & Reconstructive Surgery, Sept. 2020- epub ahead of print.

**Sacral neuromodulation for overactive bladder in women: do age and comorbidities make a difference?** Rachel A. High, William Winkelman, Joseph Panza, Derrick J. Sanderson, Hyde Yuen, Gabriela Halder, Courtney Shaver, Erin T. Bird, Rebecca G. Rogers & Jill M. Danford. Int Urogynecol J: June 25, 2020#

**Satisfaction and Regret Following Uterosacral Ligament Suspension and Sacrocolpopexy- A Prospective Multicenter Analysis From the Fellows' Pelvic Research Network.** Bastawros, Dina MD; Rabon, Hannah BA; Noor, Nabila MD; Florian-Rodriguez, Marian E. MD; Hobson, Deslyn MD; Tarr, Megan E. MD, MS. Female Pelvic Medicine & Reconstructive Surgery: January 2021,27(1):e70-e74

**Does Living With Human Immunodeficiency Virus Increase Pelvic Reconstructive Surgery Perioperative Complication Risk? A Multicenter Retrospective Cohort Study** Petrikovets, Andre; Weber Lebrun, Emly E.; Carlos, Daniela M.; Perlman, Barry; Florian-Rodriguez, Maria E.; Bochenska, Katarzyna; Eto, Chidimma u; Lespinasse, Pierre; Mahajan, Sangeeta T.; El-Nashar, Sherif; Crisp, Catrina C.; Sheyn, David Less Female Pelvic Medicine & Reconstructive Surgery, Post Author Corrections: April 20, 2020

**Assessing patients' preferences for gender, age, and experience of their urogynecologic provider.** Hoke TP, Berger AA, Pan CC, Jackson LA, Winkelman WD, High R, Volpe KA, Lin CP, Richter HE. In Urogynecol J. 2019 Dec; epub ahead of print.

**Efficacy of Repeat Midurethral Sling for Persistent or Recurrent Stress Urinary Incontinence: A Fellows Pelvic Research Network Study.** Smithling KR, Adams-Piper EE, Tran AM, Davé BA, Chu CM, Chan RC, Antosh DD, Gutman RE. Female Pelvic Med Reconstr Surg. 2019 Nov/Dec;25(6):430-433

**Antibiotic Prophylaxis During Catheter-Managed Postoperative Urinary Retention After Pelvic Reconstructive Surgery: A Randomized Controlled Trial.** Lavelle ES, Alam P, Meister M, Florian-Rodriguez M, Elmer-Lyon C, Kowalski J, Carter-Brooks C, Mazloomdost D, Zyczynski H, Lowder J, Gutman R, Sutkin G. Obstet Gynecol. 2019 Oct;134(4):727-735

**Return to baseline functional status in older women undergoing surgery for pelvic organ prolapse.** Lee DD, Wasson M, Hallock JL, Heredia-Melero G, Kinman C, Maldonado PA, Pilkinton ML, Sammel MD, Greer JA, Arya LA. Female Pelvic Med Reconstr Surg. 2019 Sep 5

**Risk factors for explantation due to infection after sacral neuromodulation: a multicenter retrospective case-control study.** Myer ENB, Petrikovets A, Slocum PD, Lee TG, Carter-Brooks CM, Noor N, Carlos DM, Wu E, van Eck K, Fashokun TB, Yurteri-Kaplan L, Chen CCG. Am J Obstet Gynecol. 2018 Apr 6.

**Surgical Findings and Outcomes in Premenopausal Breast Cancer Patients Undergoing Oophorectomy: A Multicenter Review From the Society of Gynecologic Surgeons Fellows Pelvic Research Network.** Harvey LFB, Abramson VG, Alvarez J, DeStephano C, Hur HC, Lee K, Mattingly P, Park B, Piszczek C, Seifi F, Stuparich M, and Yunker A. J Minim Invasive Gynecol. 2018 January.

**Patients' Knowledge of And Attitude Towards Robotic Surgery for Pelvic Organ Prolapse: A Fellows' Pelvic Research Network Multicenter Study.** Chu CM, Agrawal A, Mazloomdoost D, Barenberg BJ, Dune T, Pilkinton M, Weber LeBrun EE, Arya LA, Harvie HS. Accepted for publication in Female Pelvic Reconstructive Surgery Dec 2017.

**Predictors of Early Postoperative Voiding Dysfunction and Other Complications Following a Midurethral Sling.** Ripperda CM, Kowalski JT, Chaudhry ZQ, Mahal AS, Lanzer J, Noor N, Good MM, Hynan LS, Jeppson PC, Rahn DD. *Am J Obstet Gynecol* 2016;215:656.e1-6.

**Social Networking and Internet Use Among Pelvic Floor Patients: A Multicenter Survey.** Mazloomdoost D, Kanter G, Chan RC, Deveaneau N, Wyman AM, Von Bargen EC, Chaudhry Z, Elshatanoufy S, Miranne JM, Chu CC, Pauls RN, Arya LA, Antosh DD. *Am J Obstet Gynecol* 2016;215:654.e1-10.

**Impact of robotic technology on hysterectomy route and associated implications for resident education.** Jeppson PC, Rahimi S, Gattoc L, Westermann LB, Cichowski S, Raker C, Lebrun EW, Sung VW; Fellows' Pelvic Research Network of the Society of Gynecologic Surgeons. *Am J Obstet Gynecol*. 2015 Feb;212(2):196.e1-6.

**Practice patterns regarding management of rectovaginal fistulae: A multicenter review from the Fellows' Pelvic Research Network.** Oakley SH, Brown HW, Yurteri-Kaplan L, Greer JA, Richardson ML, Adelowo A, Lindo FM, Greene KA, Fok CS, Book NM, Saiz CM, Plowright LN, Harvie HS, Pauls RN. *Female Pelvic Med Reconstr Surg*. 2015 Feb 27.

**Venous thromboembolism in women undergoing pelvic reconstructive surgery with mechanical prophylaxis alone** Montoya TI, LeClaire EL, Oakley SH, Crane AK, McPencow A, Cichowski S, Rahn DD. *Int Urogynecol J* 2014.

**Risk factors for lower urinary tract injury at the time of hysterectomy for benign reasons.** Mamik MM, Antosh D, White DE, Myers EM, Abernethy M, Rahimi S, Bhatia N, Qualls CR, Dunivan G, Rogers RG. *Int Urogynecol J*. 2014 Jan 25.

**Surgical privileging in gynecology: A Fellows' Pelvic Research Network Study.** Crane AK, Illanes DS, Adams SR, Nosti P, Crisp C, LeBrun EW, Sung V; FPRN. *Female Pelvic Med Reconstr Surg*. 2014 Jan-Feb;20(1):19-22.

**Management of vesicovaginal fistulae: A multicenter analysis from the Fellows' Pelvic Research Network.** Oakley SH, Brown HW, Greer JA, Richardson ML, Adelowo A, Yurteri-Kaplan L, Lindo FM, Greene KA, Fok CS, Book NM, Saiz CM, Plowright LN, Harvie HS, Pauls RN. *Female Pelvic Med Reconstr Surg*. 2014 Jan-Feb;20(1):7-13

**Outcomes of Minimally Invasive and Abdominal Sacrocolpopexy: A Fellows' Pelvic Research Network Study.** Nosti PA, Andy UU, Kane S, White DE, Harvie HS, Lowenstein L, Gutman RE. *Female Pelvic Med Reconstr Surg*. 2014 Jan- Feb;20(1):33-7.

**Incidence of unanticipated uterine pathology at the time of minimally invasive abdominal sacrocolpopexy.** Andy UU, Nosti PA, Kane S, White D, Lowenstein L, Gutman RE, Harvie HS. *J Minim Invasive Gynecol*. S1553-4650, 2013.

**Patient Preferences for Uterine Preservation and Hysterectomy in Women with Pelvic Organ Prolapse.** Korbly NB, Kassis N, Good MM, Richardson ML, Brook NM, Yips S, Saquan D, Gross C, Evans J, Lopes VV, Harvie HS, Sung V. *Am J Obstet Gynecol.*, 209: 470.e1-6, 2013.

**Prolapse-related knowledge and attitudes in women with pelvic organ prolapse symptoms.** Good MM, Korbly N, Kassis N, Richardson ML, Book NM, Saquan D, Gross C, Evans J, Harvie HS, Sung V. *Am J Obstet Gynecol.*, 209:481.e1-6, 2013.

**Body image, regret, and satisfaction following colpocleisis. Fellows' Pelvic Research Network, Society of Gynecologic Surgeons.** Crisp CC, Book NM, Smith AL, Cunkelman JA, Mishan V, Treszezamsky AD, Adams SR, Apostolis C, Lowenstein L, Pauls RN. *Am J Obstet Gynecol.*, 209: 473.e1-7, 2013.

**Management of Ileus and Bowel Obstruction following Benign Gynecologic Surgery.** Allen AM, Antosh DD, Friedman S, McFadden BL, Smith A, Grimes CL, Crisp CC, Gutman RE, Rogers RG. International Journal of Gynecology and Obstetrics. In press.

**Risk factors for mesh extrusion after prolapse surgery: a case-control study.** Ehsani N, Ghafar MA, Antosh DD, Tan-Kim J, Warner WB, Mamik MM, Brown HW, Chung CP, Segal S, Abed H, Murphy M, Stolfus JC, Molden SM. Female Pelvic Med Reconstruct Surg 2012; 18 (6): 357-361.

**Spanish Translation and Validation of four short pelvic floor disorder questionnaires.**

Treszezamsky AD, Karp DR, Dick-Biascoechea M, Ehsani N, Dancz CE, Montoya IT, Olivera CK, Smith AL, Cardenas R, Fashokun TB, Bradley CS. Int Urogynecol J. 2012; July .

**Institutional review board variability in minimal-risk multicenter urogynecology studies.** Harvie HS, Lowenstein L, Omotosho TB, Sanses T, Molden S, Hardy J, Brubaker L; Fellows' Pelvic Research Network. Female Pelvic Med Reconstr Surg. 2012 Mar-Apr;18(2):89-92.

**Sexual activity and function in women with and without pelvic floor disorders.** Fashokun TB, Harvie HS, Schimpf MO, Olivera CK, Epstein LB, Jean-Michel M, Rooney KE, Balgobin S, Ibeanu OA, Gala RB, Rogers RG; ; for the Society of Gynecologic Surgeons' Fellows' Pelvic Research Network. Int Urogynecol J. 2012 Jun 29.

**Voiding Dysfunction After Midurethral Synthetic Slings: Update from Fellows' Pelvic Research Network.** TheFemalePatient. 2011;;36(12):42-49.

**Sacral Neuromodulation for Fecal Incontinence.** Shepherd J, Wheeler T, Garris JB. The Female Patient. 2011;36(6):12-16

**A Retrospective Multicenter Study on Outcomes after Midurethral Polypropylene Sling (MUS) Revision for Voiding Dysfunction.** Molden S, Bracken J, Nguyen A, Harvie HS, Whit A, Hammil SL, Patterson D, Tarr M, Sanses T, Murphy M, Rogers RG. J Female Pelvic Med & Reconstr Surg. 2010 Mar/April 16(2).

**Risk factors leading to midurethral sling revision: a multicenter case-control study.** Molden S, Patterson D, Tarr M, Sanses T, Bracken J, Nguyen A, Harvie HS, White A, Hammil SA, Murphy M, Rogers. Int Urogynecol J. 2010 Oct;21(10):1253-9. Epub 2010 Jun 15.

**Does vaginal size impact sexual activity and function?**

Schimpf MO, Harvie HS, Omotosho TB, Epstein LB, Jean-Michel M, Olivera CK, Rooney KE, Balgobin S, Ibeanu OA, Gala RB, Rogers RG  
Int Urogynecol J Pelvic Floor Dysfunct. 2010 Apr;21(4):447-52.

**Sexual function is related to body image perception in women with pelvic organ prolapse.**

Lowenstein L, Gamble T, Sanses TV, van Raalte H, Carberry C, Jakus S, Kambiss S, McAchran S, Pham T, Aschkenazi S, Hoskey K, Kenton K  
J Sex Med. 2009 Aug;6(8):2286-91. Epub 2009 Jun 2.

**Sexual function is related to body image perception in women with pelvic organ prolapsed.**

Lowenstein L, Gamble T, Sanses TV, van Raalte H, Carberry C, Jakus S, Kambiss S, McAchran S, Pham T, Aschkenazi S, Hoskey K, Kenton K  
J Sex Med. 2009 Aug;6(8):2286-91.

**Anatomic outcomes of vaginal mesh procedure (Prolift, Gynecare) compared to uterosacral ligament suspension and abdominal sacrocolpopexy for pelvic organ prolapsed.**

Sanses TV, Shahryarinejad A, Molden S, Hoskey KA, Abbasy S, Patterson D, Saks EK, Weber Lebrun EE, Gamble TL, King VG, Nguyen AL, Abed H, Young SB.  
Am J Obstet Gynecol. 2009 Nov;201(5):519.e1-8.

**The Fellows' Pelvic Research Network (FPRN)**

Lowenstein L, Olivera C, Harvie H, Schaffer J, Young S.  
Int Urogynecol J Pelvic Floor Dysfunct. 2008 Jul;19(7):895-7